

Claims

5 1. A product comprising a first water insoluble
substrate and a second water insoluble substrate,
wherein

 (a) said first water insoluble substrate and said
second water insoluble substrate are of different shape;

10 (b) said first water insoluble substrate comprises
a first active agent; and

 (c) said second water insoluble substrate comprises
a second active agent but does not comprise said first
active agent.

15 2. A product of claim 1, wherein the product
comprises instructions directing the user to apply the
water insoluble substrates to the face.

20 3. A product of claim 1, wherein said first water
insoluble substrate is shaped for application on the
forehead and said second water insoluble substrate is
shaped for application to an area proximate to the
mouth.

25 4. A product of claim 1, wherein said product
comprises instructions directing the user to apply said
first water insoluble substrate to the forehead and said
second water insoluble substrate to an area proximate to
the mouth.

5. A product of claim 1, wherein said first water insoluble substrate and said second water insoluble substrate comprise at least about 50%, by weight of the total weight of the substrate, of a liquid carrier.

5

6. A product of claim 1, wherein said first water insoluble substrate and said second water insoluble substrate comprise less than about 10% by weight of the total weight of the substrate, of a liquid carrier.

10

7. A product of claim 4, wherein said first insoluble water substrate and said second water insoluble substrate comprise at least about 50%, by weight of the total weight of the substrate, of a liquid carrier.

15

8. A product of claim 4, wherein said first water insoluble substrate and said second water insoluble substrate comprise less than about 10% by weight of the total weight of the substrate, of a liquid carrier.

20

9. A product of claim 1, wherein said second active agent is selected from the group consisting of glycolic acid, salicylic acid, butylenes glycol, coix seed extract, and thymus serpillum extract.

25

10. A product of claim 1, wherein said first active agent is selected from the group consisting of a C₂-C₆ alcohol, Cedrus Atlanitica Bark Extract, and Hamamelis Virginiana Extract.

30

11. A product of claim 9, wherein said first active agent is selected from the group consisting of a C₂-C₆ alcohol, Cedrus Atlanitica Bark Extract, and Hamamelis Virginiana Extract.

5

12. A product of claim 4, wherein said second active agent is selected from the group consisting of glycolic acid, salicylic acid, butylenes glycol, coix seed extract, and thymus serpillum extract.

10

13. A product of claim 4, wherein said first active agent is selected from the group consisting of a C₂-C₆ alcohol, Cedrus Atlanitica Bark Extract, and Hamamelis Virginiana Extract.

15

14. A product of claim 12, wherein said first active agent is selected from the group consisting of a C₂-C₆ alcohol, Cedrus Atlanitica Bark Extract, and Hamamelis Virginiana Extract.

20

15. A product of claim 1 wherein said first water insoluble substrate and said second water insoluble substrate comprises a non-woven material.

25

16. A product of claim 1, wherein said product further comprises a package comprising a first discrete area and a second discrete area wherein said first water insoluble substrate is contained within said first discrete area and the second water insoluble substrate is contained within the second discrete area.

30

17. A method of applying a first active agent and
a second active agent to the skin, said method
5 comprising the steps of applying a first water-insoluble
substrate comprising said first active agent and a
second water-insoluble substrate comprising said second
active agent to said skin, wherein said second water-
insoluble substrate does not comprise said first active
10 agent.

18. A method of claim 17, wherein said first
water-insoluble substrate and said second water-
insoluble substrate water are applied to the face.

19. A method of claim 18, wherein said first water
insoluble substrate is applied to the forehead of the
face and said second water insoluble substrate is
applied to an area proximate to the mouth.

20. A method of claim 1, wherein said first
insoluble water substrate and said second water
insoluble substrate comprise at least about 50%, by
weight of the total weight of the substrate, of a liquid
25 carrier.